



October 19, 2005

McGill Ranch, LTD
Mary Drucilla McGill Burns
c/o Encinitos Ranch, L.L.C.
P.O. Box 3309
Alice, Texas 78333

**RE: *Submittal of:
Groundwater Analytical Reports from October 2005 Sampling
Kelsey Station, Brooks County, Texas***

Dear Ms. Burns:

Please find enclosed two reports from SPL, Inc. containing the analytical results from our October 2005 groundwater sampling event at the Kelsey Station site. This data is being provided to you pursuant to our surface easement dated March 17, 2005.

If you have any questions regarding this report or would like to discuss this project further, please feel free to contact me directly. My telephone number is (713) 420-5679.

Regards,

A handwritten signature in black ink, appearing to read "P. Goodwin".

Phillip M. Goodwin, P.G.
Project Manager for
El Paso Corporation
Environmental Remediation Department

Cc: Peter Gregg, El Paso Corporation



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TX 77054
(713) 660-0901

El Paso Energy

Certificate of Analysis Number:

05100361

Report To: Brown & Caldwell Les Teague 1415 Louisiana Suite 2500 Houston TX 77002- ph: (713) 759-0999 fax:	Project Name: ARF# D-B&C-09-28-05-LT-01 Site: Brooks County, TX Site Address: PO Number: D-SPLO-KELSEY-001 State: Texas State Cert. No.: Date Reported: 10/18/2005
--	---

This Report Contains A Total Of 23 Pages

Excluding This Page, Chain Of Custody

And

Any Attachments

10/18/2005

Date

Test results meet all requirements of NELAC, unless specified in the narrative.



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Case Narrative for:
 El Paso Energy

Certificate of Analysis Number:
05100361

Report To: Brown & Caldwell Les Teague 1415 Louisiana Suite 2500 Houston TX 77002- ph: (713) 759-0999 fax:	Project Name: ARF# D-B&C-09-28-05-LT-01 Site: Brooks County, TX Site Address: PO Number: D-SPLO-KELSEY-001 State: Texas State Cert. No.: Date Reported: 10/18/2005
--	---

All samples for BTEX analysis were performed by method 8021B and not 8260B as marked on the chain.

The pH of sample ID's " MW-11" and " MW-16 " (SPL ID: 05100361-01 and -03) were checked at the time of the Volatile Organics analysis and the pH was greater than 2. Although the samples were collected in a VOA vial preserved with HCl, the samples were not properly preserved to a pH less than 2, which may be due to the matrix of the sample. The analysis of the samples were not completed within seven days of the collection date.

Results are reported on a wet weight basis unless dry-weight correction is denoted in the units field on the analytical report (" mg/kg-dry " or " ug/kg-dry ").

Matrix spike (MS) and matrix spike duplicate (MSD) samples are chosen and tested at random from an analytical batch of "like" matrix to check for possible matrix effect. The MS and MSD will provide site specific matrix data only for those samples which are spiked by the laboratory. Since the MS and MSD are chosen at random from an analytical batch, the sample chosen for spike purposes may or may not have been a sample submitted in this sample delivery group. The validity of the analytical procedures for which data is reported in this analytical report is determined by the Laboratory Control Sample (LCS) and the Method Blank (MB). The Laboratory Control Sample (LCS) and the Method Blank (MB) are processed with the samples and the MS/MSD to ensure method criteria are achieved throughout the entire analytical process.

Some of the percent recoveries and RPD's on the QC report for the MS/MSD may be different than the calculated recoveries and RPD's using the sample result and the MS/MSD results that appear on the report because, the actual raw result is used to perform the calculations for percent recovery and RPD.

Any other exceptions associated with this report will be footnoted in the analytical result page(s) or the quality control summary page(s).

Please do not hesitate to contact us if you have any questions or comments pertaining to this data report. Please reference the above Certificate of Analysis Number.

This report shall not be reproduced except in full, without the written approval of the laboratory. The reported results are only representative of the samples submitted for testing.

SPL, Inc. is pleased to be of service to you. We anticipate working with you in fulfilling all your current and future analytical needs.

Bernadette Fini
 Customer Service Manager

05100361 Page 1
 10/18/2005

Date

Test results meet all requirements of NELAC, unless specified in the narrative.



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

El Paso Energy

Certificate of Analysis Number:

05100361

Report To: Brown & Caldwell
 Les Teague
 1415 Louisiana
 Suite 2500
 Houston
 TX
 77002-
 ph: (713) 759-0999

fax: (713) 308-3886

Project Name: ARF# D-B&C-09-28-05-LT-01
Site: Brooks County, TX
Site Address:

PO Number: D-SPLO-KELSEY-001
State: Texas

State Cert. No.:

Date Reported: 10/18/2005

Fax To:

Client Sample ID	Lab Sample ID	Matrix	Date Collected	Date Received	COC ID	HOLD
MW-11	05100361-01	Water	10/4/2005 5:15:00 PM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
RB-10-04-05	05100361-02	Water	10/4/2005 6:00:00 PM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-16	05100361-03	Water	10/5/2005 1:57:00 PM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-8	05100361-04	Water	10/5/2005 9:10:00 AM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-7	05100361-05	Water	10/5/2005 10:15:00 AM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-13	05100361-06	Water	10/5/2005 11:20:00 AM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-9	05100361-07	Water	10/5/2005 1:20:00 PM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-15	05100361-08	Water	10/5/2005 3:00:00 PM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-14	05100361-09	Water	10/5/2005 3:50:00 PM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-17	05100361-10	Water	10/5/2005 4:40:00 PM	10/7/2005 9:30:00 AM	230765	<input type="checkbox"/>
MW-18	05100361-11	Water	10/5/2005 5:20:00 PM	10/7/2005 9:30:00 AM	230763	<input type="checkbox"/>
Dup-3	05100361-12	Water	10/5/2005	10/7/2005 9:30:00 AM	230763	<input type="checkbox"/>
RB-10-05-05	05100361-13	Water	10/5/2005 5:55:00 PM	10/7/2005 9:30:00 AM	230763	<input type="checkbox"/>
Trip Blank	05100361-14	Water	10/5/2005	10/7/2005 9:30:00 AM	230763	<input type="checkbox"/>

Bernadette Fini
 Customer Service Manager

10/18/2005

Date

Joel Grice
 Laboratory Director
 Ted Yen
 Quality Assurance Officer



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-11 Collected: 10/04/2005 17:15 SPL Sample ID: 05100361-01

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	12000		250	250	10/12/05 1:55	DY	2974445
Toluene	1300		250	250	10/12/05 1:55	DY	2974445
Ethylbenzene	910		250	250	10/12/05 1:55	DY	2974445
m,p-Xylene	990		250	250	10/12/05 1:55	DY	2974445
o-Xylene	620		250	250	10/12/05 1:55	DY	2974445
Xylenes, Total	1610		250	250	10/12/05 1:55	DY	2974445
Surr: 1,4-Difluorobenzene	108	%	39-163	250	10/12/05 1:55	DY	2974445
Surr: 4-Bromofluorobenzene	99.7	%	57-157	250	10/12/05 1:55	DY	2974445
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	18		4.9	1	10/13/05 17:41	AE	2978794
>C12-C28	ND		4.9	1	10/13/05 17:41	AE	2978794
>C28-C35	ND		4.9	1	10/13/05 17:41	AE	2978794
Total TPH (C6-C35)	18		4.9	1	10/13/05 17:41	AE	2978794
Surr: 1-Chlorooctane	116	%	70-130	1	10/13/05 17:41	AE	2978794
Surr: o-Terphenyl	107	%	70-130	1	10/13/05 17:41	AE	2978794

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.98

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID:RB-10-04-05 Collected: 10/04/2005 18:00 SPL Sample ID: 05100361-02

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 2:25	DY	2974446
Toluene	ND		1	1	10/12/05 2:25	DY	2974446
Ethylbenzene	ND		1	1	10/12/05 2:25	DY	2974446
m,p-Xylene	ND		1	1	10/12/05 2:25	DY	2974446
o-Xylene	ND		1	1	10/12/05 2:25	DY	2974446
Xylenes, Total	ND		1	1	10/12/05 2:25	DY	2974446
Surr: 1,4-Difluorobenzene	98.2		% 39-163	1	10/12/05 2:25	DY	2974446
Surr: 4-Bromofluorobenzene	97.6		% 57-157	1	10/12/05 2:25	DY	2974446
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		5.2	1	10/12/05 23:37	AE	2978774
>C12-C28	ND		5.2	1	10/12/05 23:37	AE	2978774
>C28-C35	ND		5.2	1	10/12/05 23:37	AE	2978774
Total TPH (C6-C35)	ND		5.2	1	10/12/05 23:37	AE	2978774
Surr: 1-Chlorooctane	92.4		% 70-130	1	10/12/05 23:37	AE	2978774
Surr: o-Terphenyl	90.9		% 70-130	1	10/12/05 23:37	AE	2978774

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	1.04

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-16 Collected: 10/05/2005 13:57 SPL Sample ID: 05100361-03

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 2:56	DY	2974448
Toluene	ND		1	1	10/12/05 2:56	DY	2974448
Ethylbenzene	ND		1	1	10/12/05 2:56	DY	2974448
m,p-Xylene	ND		1	1	10/12/05 2:56	DY	2974448
o-Xylene	ND		1	1	10/12/05 2:56	DY	2974448
Xylenes, Total	ND		1	1	10/12/05 2:56	DY	2974448
Surr: 1,4-Difluorobenzene	97.0		% 39-163	1	10/12/05 2:56	DY	2974448
Surr: 4-Bromofluorobenzene	98.4		% 57-157	1	10/12/05 2:56	DY	2974448
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 18:11	AE	2978797
>C12-C28	ND		4.9	1	10/13/05 18:11	AE	2978797
>C28-C35	ND		4.9	1	10/13/05 18:11	AE	2978797
Total TPH (C6-C35)	ND		4.9	1	10/13/05 18:11	AE	2978797
Surr: 1-Chlorooctane	115		% 70-130	1	10/13/05 18:11	AE	2978797
Surr: o-Terphenyl	110		% 70-130	1	10/13/05 18:11	AE	2978797

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.98

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-8 Collected: 10/05/2005 9:10 SPL Sample ID: 05100361-04

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 1:25	DY	2974444
Toluene	ND		1	1	10/12/05 1:25	DY	2974444
Ethylbenzene	ND		1	1	10/12/05 1:25	DY	2974444
m,p-Xylene	ND		1	1	10/12/05 1:25	DY	2974444
o-Xylene	ND		1	1	10/12/05 1:25	DY	2974444
Xylenes, Total	ND		1	1	10/12/05 1:25	DY	2974444
Surr: 1,4-Difluorobenzene	98.1		% 39-163	1	10/12/05 1:25	DY	2974444
Surr: 4-Bromofluorobenzene	84.3		% 57-157	1	10/12/05 1:25	DY	2974444
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 18:18	AE	2978798
>C12-C28	ND		4.9	1	10/13/05 18:18	AE	2978798
>C28-C35	ND		4.9	1	10/13/05 18:18	AE	2978798
Total TPH (C6-C35)	ND		4.9	1	10/13/05 18:18	AE	2978798
Surr: 1-Chlorooctane	88.2		% 70-130	1	10/13/05 18:18	AE	2978798
Surr: o-Terphenyl	86.6		% 70-130	1	10/13/05 18:18	AE	2978798

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.99

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-7

Collected: 10/05/2005 10:15 SPL Sample ID: 05100361-05

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 3:27	DY	2974449
Toluene	ND		1	1	10/12/05 3:27	DY	2974449
Ethylbenzene	ND		1	1	10/12/05 3:27	DY	2974449
m,p-Xylene	ND		1	1	10/12/05 3:27	DY	2974449
o-Xylene	ND		1	1	10/12/05 3:27	DY	2974449
Xylenes, Total	ND		1	1	10/12/05 3:27	DY	2974449
Surr: 1,4-Difluorobenzene	97.1		% 39-163	1	10/12/05 3:27	DY	2974449
Surr: 4-Bromofluorobenzene	98.6		% 57-157	1	10/12/05 3:27	DY	2974449
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 18:25	AE	2978799
>C12-C28	ND		4.9	1	10/13/05 18:25	AE	2978799
>C28-C35	ND		4.9	1	10/13/05 18:25	AE	2978799
Total TPH (C6-C35)	ND		4.9	1	10/13/05 18:25	AE	2978799
Surr: 1-Chlorooctane	105		% 70-130	1	10/13/05 18:25	AE	2978799
Surr: o-Terphenyl	114		% 70-130	1	10/13/05 18:25	AE	2978799

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.97

Qualifiers: ND/U - Not Detected at the Reporting Limit
 B - Analyte detected in the associated Method Blank
 * - Surrogate Recovery Outside Advisable QC Limits
 J - Estimated Value between MDL and PQL
 >MCL - Result Over Maximum Contamination Limit(MCL)
 D - Surrogate Recovery Unreportable due to Dilution
 MI - Matrix Interference



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-13

Collected: 10/05/2005 11:20

SPL Sample ID: 05100361-06

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 5:57	DY	2974455
Toluene	ND		1	1	10/12/05 5:57	DY	2974455
Ethylbenzene	ND		1	1	10/12/05 5:57	DY	2974455
m,p-Xylene	ND		1	1	10/12/05 5:57	DY	2974455
o-Xylene	ND		1	1	10/12/05 5:57	DY	2974455
Xylenes, Total	ND		1	1	10/12/05 5:57	DY	2974455
Surr: 1,4-Difluorobenzene	97.7		% 39-163	1	10/12/05 5:57	DY	2974455
Surr: 4-Bromofluorobenzene	96.9		% 57-157	1	10/12/05 5:57	DY	2974455
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	9		5	1	10/13/05 18:40	AE	2978801
>C12-C28	ND		5	1	10/13/05 18:40	AE	2978801
>C28-C35	ND		5	1	10/13/05 18:40	AE	2978801
Total TPH (C6-C35)	9		5	1	10/13/05 18:40	AE	2978801
Surr: 1-Chlorooctane	102		% 70-130	1	10/13/05 18:40	AE	2978801
Surr: o-Terphenyl	103		% 70-130	1	10/13/05 18:40	AE	2978801

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.99

Qualifiers: ND/U - Not Detected at the Reporting Limit
 B - Analyte detected in the associated Method Blank
 * - Surrogate Recovery Outside Advisable QC Limits
 J - Estimated Value between MDL and PQL
 >MCL - Result Over Maximum Contamination Limit(MCL)
 D - Surrogate Recovery Unreportable due to Dilution
 MI - Matrix Interference



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-9

Collected: 10/05/2005 13:20 SPL Sample ID: 05100361-07

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 6:27	DY	2974457
Toluene	ND		1	1	10/12/05 6:27	DY	2974457
Ethylbenzene	ND		1	1	10/12/05 6:27	DY	2974457
m,p-Xylene	ND		1	1	10/12/05 6:27	DY	2974457
o-Xylene	ND		1	1	10/12/05 6:27	DY	2974457
Xylenes, Total	ND		1	1	10/12/05 6:27	DY	2974457
Surr: 1,4-Difluorobenzene	97.3		% 39-163	1	10/12/05 6:27	DY	2974457
Surr: 4-Bromofluorobenzene	97.6		% 57-157	1	10/12/05 6:27	DY	2974457
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 18:47	AE	2978802
>C12-C28	ND		4.9	1	10/13/05 18:47	AE	2978802
>C28-C35	ND		4.9	1	10/13/05 18:47	AE	2978802
Total TPH (C6-C35)	ND		4.9	1	10/13/05 18:47	AE	2978802
Surr: 1-Chlorooctane	99.6		% 70-130	1	10/13/05 18:47	AE	2978802
Surr: o-Terphenyl	97.3		% 70-130	1	10/13/05 18:47	AE	2978802

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.97

Qualifiers: ND/U - Not Detected at the Reporting Limit
 B - Analyte detected in the associated Method Blank
 * - Surrogate Recovery Outside Advisable QC Limits
 J - Estimated Value between MDL and PQL
 >MCL - Result Over Maximum Contamination Limit(MCL)
 D - Surrogate Recovery Unreportable due to Dilution
 MI - Matrix Interference



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-15 Collected: 10/05/2005 15:00 SPL Sample ID: 05100361-08

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 6:58	DY	2974458
Toluene	ND		1	1	10/12/05 6:58	DY	2974458
Ethylbenzene	ND		1	1	10/12/05 6:58	DY	2974458
m,p-Xylene	ND		1	1	10/12/05 6:58	DY	2974458
o-Xylene	ND		1	1	10/12/05 6:58	DY	2974458
Xylenes, Total	ND		1	1	10/12/05 6:58	DY	2974458
Surr: 1,4-Difluorobenzene	97.5		% 39-163	1	10/12/05 6:58	DY	2974458
Surr: 4-Bromofluorobenzene	97.6		% 57-157	1	10/12/05 6:58	DY	2974458
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		5	1	10/13/05 0:43	AE	2978776
>C12-C28	ND		5	1	10/13/05 0:43	AE	2978776
>C28-C35	ND		5	1	10/13/05 0:43	AE	2978776
Total TPH (C6-C35)	ND		5	1	10/13/05 0:43	AE	2978776
Surr: 1-Chlorooctane	83.7		% 70-130	1	10/13/05 0:43	AE	2978776
Surr: o-Terphenyl	84.8		% 70-130	1	10/13/05 0:43	AE	2978776

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	1.00

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-14

Collected: 10/05/2005 15:50 SPL Sample ID: 05100361-09

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	1200		5	5	10/12/05 3:58	DY	2974450
Toluene	12		5	5	10/12/05 3:58	DY	2974450
Ethylbenzene	390		5	5	10/12/05 3:58	DY	2974450
m,p-Xylene	55		5	5	10/12/05 3:58	DY	2974450
o-Xylene	45		5	5	10/12/05 3:58	DY	2974450
Xylenes, Total	100		5	5	10/12/05 3:58	DY	2974450
Surr: 1,4-Difluorobenzene	129		% 39-163	5	10/12/05 3:58	DY	2974450
Surr: 4-Bromofluorobenzene	116		% 57-157	5	10/12/05 3:58	DY	2974450
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 0:50	AE	2978777
>C12-C28	ND		4.9	1	10/13/05 0:50	AE	2978777
>C28-C35	ND		4.9	1	10/13/05 0:50	AE	2978777
Total TPH (C6-C35)	ND		4.9	1	10/13/05 0:50	AE	2978777
Surr: 1-Chlorooctane	84.2		% 70-130	1	10/13/05 0:50	AE	2978777
Surr: o-Terphenyl	83.0		% 70-130	1	10/13/05 0:50	AE	2978777

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.99

Qualifiers: ND/U - Not Detected at the Reporting Limit
 B - Analyte detected in the associated Method Blank
 * - Surrogate Recovery Outside Advisable QC Limits
 J - Estimated Value between MDL and PQL
 >MCL - Result Over Maximum Contamination Limit(MCL)
 D - Surrogate Recovery Unreportable due to Dilution
 MI - Matrix Interference



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-17 Collected: 10/05/2005 16:40 SPL Sample ID: 05100361-10

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	1.4		1	1	10/12/05 7:28	DY	2974459
Toluene	ND		1	1	10/12/05 7:28	DY	2974459
Ethylbenzene	ND		1	1	10/12/05 7:28	DY	2974459
m,p-Xylene	ND		1	1	10/12/05 7:28	DY	2974459
o-Xylene	ND		1	1	10/12/05 7:28	DY	2974459
Xylenes, Total	ND		1	1	10/12/05 7:28	DY	2974459
Surr: 1,4-Difluorobenzene	97.0		% 39-163	1	10/12/05 7:28	DY	2974459
Surr: 4-Bromofluorobenzene	97.8		% 57-157	1	10/12/05 7:28	DY	2974459

TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 0:58	AE	2978778
>C12-C28	ND		4.9	1	10/13/05 0:58	AE	2978778
>C28-C35	ND		4.9	1	10/13/05 0:58	AE	2978778
Total TPH (C6-C35)	ND		4.9	1	10/13/05 0:58	AE	2978778
Surr: 1-Chlorooctane	86.1		% 70-130	1	10/13/05 0:58	AE	2978778
Surr: o-Terphenyl	87.5		% 70-130	1	10/13/05 0:58	AE	2978778

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.98

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: MW-18

Collected: 10/05/2005 17:20

SPL Sample ID: 05100361-11

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 8:00	DY	2974460
Toluene	ND		1	1	10/12/05 8:00	DY	2974460
Ethylbenzene	ND		1	1	10/12/05 8:00	DY	2974460
m,p-Xylene	ND		1	1	10/12/05 8:00	DY	2974460
o-Xylene	ND		1	1	10/12/05 8:00	DY	2974460
Xylenes, Total	ND		1	1	10/12/05 8:00	DY	2974460
Surr: 1,4-Difluorobenzene	96.9		% 39-163	1	10/12/05 8:00	DY	2974460
Surr: 4-Bromofluorobenzene	98.3		% 57-157	1	10/12/05 8:00	DY	2974460
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 1:05	AE	2978779
>C12-C28	ND		4.9	1	10/13/05 1:05	AE	2978779
>C28-C35	ND		4.9	1	10/13/05 1:05	AE	2978779
Total TPH (C6-C35)	ND		4.9	1	10/13/05 1:05	AE	2978779
Surr: 1-Chlorooctane	81.2		% 70-130	1	10/13/05 1:05	AE	2978779
Surr: o-Terphenyl	81.5		% 70-130	1	10/13/05 1:05	AE	2978779

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.98

Qualifiers: ND/U - Not Detected at the Reporting Limit
 B - Analyte detected in the associated Method Blank
 * - Surrogate Recovery Outside Advisable QC Limits
 J - Estimated Value between MDL and PQL
 >MCL - Result Over Maximum Contamination Limit(MCL)
 D - Surrogate Recovery Unreportable due to Dilution
 MI - Matrix Interference



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID: Dup-3

Collected: 10/05/2005 0:00

SPL Sample ID: 05100361-12

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 8:30	DY	2974462
Toluene	ND		1	1	10/12/05 8:30	DY	2974462
Ethylbenzene	ND		1	1	10/12/05 8:30	DY	2974462
m,p-Xylene	ND		1	1	10/12/05 8:30	DY	2974462
o-Xylene	ND		1	1	10/12/05 8:30	DY	2974462
Xylenes, Total	ND		1	1	10/12/05 8:30	DY	2974462
Surr: 1,4-Difluorobenzene	98.0		% 39-163	1	10/12/05 8:30	DY	2974462
Surr: 4-Bromofluorobenzene	97.2		% 57-157	1	10/12/05 8:30	DY	2974462
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		4.9	1	10/13/05 1:12	AE	2978780
>C12-C28	ND		4.9	1	10/13/05 1:12	AE	2978780
>C28-C35	ND		4.9	1	10/13/05 1:12	AE	2978780
Total TPH (C6-C35)	ND		4.9	1	10/13/05 1:12	AE	2978780
Surr: 1-Chlorooctane	82.0		% 70-130	1	10/13/05 1:12	AE	2978780
Surr: o-Terphenyl	83.5		% 70-130	1	10/13/05 1:12	AE	2978780

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	0.99

Qualifiers: ND/U - Not Detected at the Reporting Limit
 B - Analyte detected in the associated Method Blank
 * - Surrogate Recovery Outside Advisable QC Limits
 J - Estimated Value between MDL and PQL
 >MCL - Result Over Maximum Contamination Limit(MCL)
 D - Surrogate Recovery Unreportable due to Dilution
 MI - Matrix Interference



HOUSTON LABORATORY
 8880 INTERCHANGE DRIVE
 HOUSTON, TX 77054
 (713) 660-0901

Client Sample ID:RB-10-05-05

Collected: 10/05/2005 17:55 SPL Sample ID: 05100361-13

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 9:00	DY	2974463
Toluene	1		1	1	10/12/05 9:00	DY	2974463
Ethylbenzene	ND		1	1	10/12/05 9:00	DY	2974463
m,p-Xylene	ND		1	1	10/12/05 9:00	DY	2974463
o-Xylene	ND		1	1	10/12/05 9:00	DY	2974463
Xylenes, Total	ND		1	1	10/12/05 9:00	DY	2974463
Surr: 1,4-Difluorobenzene	97.4		% 39-163	1	10/12/05 9:00	DY	2974463
Surr: 4-Bromofluorobenzene	98.3		% 57-157	1	10/12/05 9:00	DY	2974463
TPH TEXAS 1005				MCL	TNRCC 1005	Units: mg/L	
C6-C12	ND		5	1	10/13/05 1:20	AE	2978781
>C12-C28	ND		5	1	10/13/05 1:20	AE	2978781
>C28-C35	ND		5	1	10/13/05 1:20	AE	2978781
Total TPH (C6-C35)	ND		5	1	10/13/05 1:20	AE	2978781
Surr: 1-Chlorooctane	82.4		% 70-130	1	10/13/05 1:20	AE	2978781
Surr: o-Terphenyl	84.1		% 70-130	1	10/13/05 1:20	AE	2978781

Prep Method	Prep Date	Prep Initials	Prep Factor
TNRCC 1005	10/10/2005 8:55	VTX	1.00

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TX 77054
(713) 660-0901

Client Sample ID: Trip Blank Collected: 10/05/2005 0:00 SPL Sample ID: 05100361-14

Site: Brooks County, TX

Analyses/Method	Result	QUAL	Rep.Limit	Dil. Factor	Date Analyzed	Analyst	Seq. #
PURGEABLE AROMATICS				MCL	SW8021B	Units: ug/L	
Benzene	ND		1	1	10/12/05 5:28	DY	2974454
Toluene	ND		1	1	10/12/05 5:28	DY	2974454
Ethylbenzene	ND		1	1	10/12/05 5:28	DY	2974454
m,p-Xylene	ND		1	1	10/12/05 5:28	DY	2974454
o-Xylene	ND		1	1	10/12/05 5:28	DY	2974454
Xylenes, Total	ND		1	1	10/12/05 5:28	DY	2974454
Surr: 1,4-Difluorobenzene	98.4		% 39-163	1	10/12/05 5:28	DY	2974454
Surr: 4-Bromofluorobenzene	97.7		% 57-157	1	10/12/05 5:28	DY	2974454

Qualifiers: ND/U - Not Detected at the Reporting Limit >MCL - Result Over Maximum Contamination Limit(MCL)
 B - Analyte detected in the associated Method Blank D - Surrogate Recovery Unreportable due to Dilution
 * - Surrogate Recovery Outside Advisable QC Limits MI - Matrix Interference
 J - Estimated Value between MDL and PQL

Quality Control Documentation



Quality Control Report

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TX 77054
(713) 660-0901

EI Paso Energy
ARF# D-B&C-09-28-05-LT-01

Analysis: TPH Texas 1005
Method: TNRCC 1005

WorkOrder: 05100361
Lab Batch ID: 51809

Method Blank

Samples in Analytical Batch:

RunID: HP_B_051012E-2978793 Units: mg/L
Analysis Date: 10/13/2005 17:33 Analyst: AE
Preparation Date: 10/10/2005 8:55 Prep By: VTX Method TNRCC 1005

Table with 2 columns: Lab Sample ID, Client Sample ID. Lists sample IDs from 05100361-01B to 05100361-13B and corresponding client IDs like MW-11, RB-10-04-05, etc.

Table with 3 columns: Analyte, Result, Rep Limit. Rows include >C12-C28, >C28-C35, C6-C12, Total TPH (C6-C35), Surr: 1-Chlorooctane, Surr: o-Terphenyl.

Laboratory Control Sample (LCS)

RunID: HP_B_051012E-2978792 Units: mg/L
Analysis Date: 10/13/2005 17:26 Analyst: AE
Preparation Date: 10/10/2005 8:55 Prep By: VTX Method TNRCC 1005

Table with 6 columns: Analyte, Spike Added, Result, Percent Recovery, Lower Limit, Upper Limit. Rows include >C12-C28, C6-C12, Total TPH (C6-C35).

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

Sample Spiked: 05100361-01
RunID: HP_B_051012E-2978795 Units: mg/L
Analysis Date: 10/13/2005 17:48 Analyst: AE
Preparation Date: 10/10/2005 8:55 Prep By: VTX Method TNRCC 1005

Table with 12 columns: Analyte, Sample Result, MS Spike Added, MS Result, MS % Recovery, MSD Spike Added, MSD Result, MSD % Recovery, RPD, RPD Limit, Low Limit, High Limit. Rows include >C12-C28, C6-C12, Total TPH (C6-C35).

Qualifiers: ND/U - Not Detected at the Reporting Limit MI - Matrix Interference
B - Analyte detected in the associated Method Blank D - Recovery Unreportable due to Dilution
J - Estimated value between MDL and PQL * - Recovery Outside Advisable QC Limits
N/C - Not Calculated - Sample concentration is greater than 4 times the amount of spike added. Control limits do not apply.

The percent recoveries for QC samples are correct as reported. Due to significant figures and rounding, the reported RPD may differ from the displayed RPD values but is correct as reported.



Quality Control Report

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TX 77054
(713) 660-0901

El Paso Energy
ARF# D-B&C-09-28-05-LT-01

Analysis: TPH Texas 1005
Method: TNRCC 1005

WorkOrder: 05100361
Lab Batch ID: 51809

Qualifiers: ND/U - Not Detected at the Reporting Limit MI - Matrix Interference
B - Analyte detected in the associated Method Blank D - Recovery Unreportable due to Dilution
J - Estimated value between MDL and PQL * - Recovery Outside Advisable QC Limits
N/C - Not Calculated - Sample concentration is greater than 4 times the amount of spike added. Control limits do not apply.

The percent recoveries for QC samples are correct as reported. Due to significant figures and rounding, the reported RPD may differ from the displayed RPD values but is correct as reported.



Quality Control Report

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TX 77054
(713) 660-0901

El Paso Energy
ARF# D-B&C-09-28-05-LT-01

Analysis: Purgeable Aromatics
Method: SW8021B

WorkOrder: 05100361
Lab Batch ID: R152426

Method Blank

Samples in Analytical Batch:

RunID: HP_J_051011B-2974440 Units: ug/L
Analysis Date: 10/11/2005 23:56 Analyst: DY
Preparation Date: 10/11/2005 23:56 Prep By: Method SW5030B

Table with 2 columns: Lab Sample ID, Client Sample ID. Lists 14 samples from 05100361-01A to 05100361-14A with corresponding client IDs like MW-11, RB-10-04-05, etc.

Table with 3 columns: Analyte, Result, Rep Limit. Lists Benzene, Ethylbenzene, Toluene, m,p-Xylene, o-Xylene, Xylenes, Total, and two surrogates with results like ND, 97.9, and 39-163.

Laboratory Control Sample (LCS)

RunID: HP_J_051011B-2974438 Units: ug/L
Analysis Date: 10/11/2005 23:25 Analyst: DY
Preparation Date: 10/11/2005 23:25 Prep By: Method SW5030B

Table with 6 columns: Analyte, Spike Added, Result, Percent Recovery, Lower Limit, Upper Limit. Lists Benzene, Ethylbenzene, Toluene, m,p-Xylene, o-Xylene, Xylenes, Total with spike values like 20.0, 40.0, 60.0.

Matrix Spike (MS) / Matrix Spike Duplicate (MSD)

Sample Spiked: 05100361-04
RunID: HP_J_051011B-2974441 Units: ug/L
Analysis Date: 10/12/2005 0:26 Analyst: DY

Qualifiers: ND/U - Not Detected at the Reporting Limit MI - Matrix Interference
B - Analyte detected in the associated Method Blank D - Recovery Unreportable due to Dilution
J - Estimated value between MDL and PQL * - Recovery Outside Advisable QC Limits
N/C - Not Calculated - Sample concentration is greater than 4 times the amount of spike added. Control limits do not apply.

The percent recoveries for QC samples are correct as reported. Due to significant figures and rounding, the reported RPD may differ from the displayed RPD values but is correct as reported.



Quality Control Report

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TX 77054
(713) 660-0901

El Paso Energy
ARF# D-B&C-09-28-05-LT-01

Analysis: Purgeable Aromatics
Method: SW8021B

WorkOrder: 05100361
Lab Batch ID: R152426

Table with 12 columns: Analyte, Sample Result, MS Spike Added, MS Result, MS % Recovery, MSD Spike Added, MSD Result, MSD % Recovery, RPD, RPD Limit, Low Limit, High Limit. Rows include Benzene, Ethylbenzene, Toluene, m,p-Xylene, o-Xylene, and Xylenes, Total.

Qualifiers: ND/U - Not Detected at the Reporting Limit
B - Analyte detected in the associated Method Blank
J - Estimated value between MDL and PQL
N/C - Not Calculated - Sample concentration is greater than 4 times the amount of spike added. Control limits do not apply.
MI - Matrix Interference
D - Recovery Unreportable due to Dilution
* - Recovery Outside Advisable QC Limits

The percent recoveries for QC samples are correct as reported. Due to significant figures and rounding, the reported RPD may differ from the displayed RPD values but is correct as reported.

*Sample Receipt Checklist
And
Chain of Custody*



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TX 77054
(713) 660-0901

Sample Receipt Checklist

Workorder:	05100361	Received By:	R_R
Date and Time Received:	10/7/2005 9:30:00 AM	Carrier name:	Fedex-Priority
Temperature:	2.5°C	Chilled by:	Water Ice

- 1. Shipping container/cooler in good condition? Yes No Not Present
- 2. Custody seals intact on shipping container/cooler? Yes No Not Present
- 3. Custody seals intact on sample bottles? Yes No Not Present
- 4. Chain of custody present? Yes No
- 5. Chain of custody signed when relinquished and received? Yes No
- 6. Chain of custody agrees with sample labels? Yes No
- 7. Samples in proper container/bottle? Yes No
- 8. Sample containers intact? Yes No
- 9. Sufficient sample volume for indicated test? Yes No
- 10. All samples received within holding time? Yes No
- 11. Container/Temp Blank temperature in compliance? Yes No
- 12. Water - VOA vials have zero headspace? Yes No VOA Vials Not Present
- 13. Water - Preservation checked upon receipt (except VOA*)? Yes No Not Applicable

*VOA Preservation Checked After Sample Analysis

SPL Representative:

Contact Date & Time:

Client Name Contacted:

Non Conformance Issues:

Client Instructions: 1. Logged in BTEX by 8021 and not 8260B.

1 of 2



SPL, Inc.

Analysis Request & Chain of Custody Record

SPL Workorder No.

230765

05100361

page

Client Name: Brown and Caldwell
 Address: 1415 Louisiana St
 Phone/Fax: 504 582 8280
 Client Contact: [Signature]
 Project Name/No.: 200859
 Site Name: E1000 - Kelsey Station
 Site Location: Brooks Co TX
 Invoice To: Phillip Good with EBP

SAMPLE ID	DATE	TIME	comp	grab	matrix			size	pres.	Number of Containers	Requested Analysis
					W=water	S=soil	O=oil				
MW-11	10-4-05	1715		X	W	V	40	1		6	
RB-10-04-05	10-4-05	1800						1			BTEX 8260
MW-16	10-5-05	1357						1	ND*		TPH 1005
MW-8		0910						1			
MW-7		1015						1			
MW-13		1020						1			
MW-9		1320						1			
MW-15		1500						1			
MW-14		1550						1			
MW-17		1640						1			

Client/Consultant Remarks
 NO rincey test due to effluence
 Treat with 7day hold

Laboratory remarks:

Intact? Y N
 Ice? Y N
 Temp: 2.5c

Requested TAT
 72hr
 Standard
 24hr
 48hr
 Other

Special Reporting Requirements Results: Fax Email PDF
 Standard QC Level 3 QC Level 4 QC TX TRRP LA RECAP

1. Relinquished by Sampler: [Signature] date 10-6-05 time 1300
 3. Relinquished by: date time
 5. Relinquished by: date 10/17/05 time 4:30

Special Detection Limits (specify):
 2. Received by: [Signature] time
 4. Received by:
 6. Received by Laboratory: [Signature]

PM review (initial): [Signature]

8880 Interchange Drive
 Houston, TX 77054 (713) 660-0901

500 Ambassador Caffery Parkway
 Scott, LA 70583 (337) 237-4775

459 Hughes Drive
 Traverse City MI 49686 (231) 947-5777

2 of 2



SPL, Inc.

Analysis Request & Chain of Custody Record

SPL Workorder No.

230763

05100361

page

2 of 3

Client Name: Brown and Caldwell

Address:

Phone/Fax:

Client Contact: SLP of 1

Email:

Project Name/No.:

Site Name:

Site Location:

Invoice To:

Ph:

SAMPLE ID	DATE	TIME	comp	grab
WW-18	10-5-05	17:20		X
Dup-3				X
RB-10-05-05		17:55		X
[Large scribbled area]				

matrix bottle size pres.

W=Water S=soil O=oil

SL=sludge X=other

P=plastic A=amber glass

G=glass V=vial X=other

I=1 liter 4=4oz 40=vial

8=8oz 16=16oz X=other

1=HCl 2=HNO3

3=H2SO4 X=other

Number of Containers

Requested Analysis

Intact? Y N

Ice? Y N

Temp: 2.5

PM review (initial):

Special Reporting Requirements Results: Fax Email PDF

Standard QC Level 3 QC Level 4 QC TX TRRP LA RECAP

1. Relinquished by Sampler: [Signature]

3. Relinquished by: [Signature]

5. Relinquished by: [Signature]

Requested TAT

Contract 72hr Standard

24hr 48hr Other

1. Received by: [Signature] date 10-6-05 18:00

2. Received by: [Signature] time 18:00

4. Received by: [Signature] time 9:30

6. Received by Laboratory: [Signature]

Client/Consultant Remarks:

Run Trip Blank for BTEX only

Laboratory remarks:

[Large scribbled area]

8880 Interchange Drive
Houston, TX 77054 (713) 660-0901

500 Ambassador Caffery Parkway
Scott, LA 70583 (337) 237-4775

459 Hughes Drive
Traverse City, MI 49686 (231) 947-5777